




A_-
 $[(0, \pi, [0, 1], 1, 1)]$




BW
 $[(0, \frac{1}{2}\sqrt{2}\pi, [0, 1], 2, 2), (2, \frac{1}{2}\sqrt{2}\pi, [2], 1, 2)]$




Bw
 $[(0, \frac{2}{3}\pi, [0, 1, 2], 1, 1)]$




CF
 $[(0, \frac{1}{3}\sqrt{3}\pi, [0, 1, 2], 2, 3), (3, \frac{1}{3}\sqrt{3}\pi, [3], 1, 3)]$




$C]$
 $[(0, \pi, [0, 1, 2, 3], 2, 1)]$




$C\sim$
 $[(0, 1/2\pi, [0, 1, 2, 3], 1, 1)]$




$D?\{$
 $[(0, \pi, [0, 1, 2, 3], 2, 1), (4, 1/2\pi, [4], 1, 1)]$




DFw
 $[(0, 1/6\sqrt{6}\pi, [0, 1, 2], 2, 6), (3, 1/6\sqrt{6}\pi, [3, 4], 2, 6)]$




DF{
 $[(0, 2\pi, [0, 1, 2], 2, 1), (3, 2\pi, [3, 4], 2, 1)]$




DQo
 $[(4, 1/3\sqrt{3}\pi, [4], 2, 3)]$




DQ{
 $[(4, 2/17\sqrt{17}\pi, [4], 1, 17)]$




D{
 $[(4, 1/5\sqrt{5}\pi, [4], 1, 5)]$




$D \sim \{$
 $[(0, 2/5\pi, [0, 1, 2, 3, 4], 1, 1)]$




$E?Bw$
 $[(0, 1/5\sqrt{5}\pi, [0, 1, 2, 3, 4], 2, 5), (5, 1/5\sqrt{5}\pi, [5], 1, 5)]$



$E?ow$
 $[(0, 2\pi, [0, 1, 2, 3], 4, 1), (4, 2\pi, [4, 5], 3, 1)]$




$E?zO$
 $[(0, 1/5\sqrt{5}\pi, [0, 1], 2, 5)]$




$E? \sim o$

$[(0, 1/4\sqrt{2}\pi, [0, 1, 2, 3], 2, 2), (4, 1/4\sqrt{2}\pi, [4, 5], 2, 2)]$




EEh_{-}

$[(0, 2\pi, [0, 1, 2, 3, 4, 5], 3, 1)]$




EFz_{-}

$[(0, 2/3\pi, [0, 1, 2, 3, 4, 5], 2, 1)]$




$EUZw$


$[(5, 1/6\sqrt{6}\pi, [5], 1, 6)]$




EUxo
 $[(0, 2\pi, [0, 1, 2, 3, 4, 5], 3, 1)]$




E]~o
 $[(0, \pi, [0, 1, 2, 3, 4, 5], 2, 1)]$




E~~w
 $[(0, \frac{1}{3}\pi, [0, 1, 2, 3, 4, 5], 1, 1)]$




F??Fw
 $[(0, \frac{1}{6}\sqrt{6}\pi, [0, 1, 2, 3, 4, 5], 2, 6), (6, \frac{1}{6}\sqrt{6}\pi, [6], 1, 6)]$




F?Bco
 $[(0, \pi, [0], 2, 1)]$




F?BvO
 $[(0, 1/7\sqrt{7}\pi, [0, 1, 2], 2, 7)]$



F?B~o
 $[(0, 1/10\sqrt{10}\pi, [0, 1, 2, 3, 4], 2, 10), (5, 1/10\sqrt{10}\pi, [5, 6], 2, 10)]$




F?opo
 $[(6, 1/5\sqrt{5}\pi, [6], 2, 5)]$




F?ov_

$[(6, 1/6\sqrt{6})\pi, [6], 2, 6]$




F?~v_

$[(0, 1/6\sqrt{3})\pi, [0, 1, 2, 3], 2, 3], (4, 1/6\sqrt{3})\pi, [4, 5, 6], 2, 3]$




FCOf?

$[(0, 2\pi, [0, 1, 2], 3, 1), (3, 2\pi, [3, 4, 5], 4, 1), (6, \pi, [6], 2, 1)]$




FCOfw


$[(0, 2\pi, [0, 1, 2, 3, 4, 5], 3, 1), (6, 2/5\pi, [6], 1, 1)]$




FCzf_
 $[(3, 1/5\sqrt{5}\pi, [3], 2, 5)]$




FEhbo
 $[(0, 2\pi, [0, 5], 3, 1), (1, 2\pi, [1, 2, 3, 4], 3, 1), (6, 2\pi, [6], 2, 1)]$



FEhf?
 $[(6, 1/7\sqrt{7}\pi, [6], 2, 7)]$




FEhfw
 $[(6, 1/7\sqrt{7}\pi, [6], 1, 7)]$




FEiro

$[(1, 1/5 \cdot \sqrt{5} \cdot \pi, [1], 2, 5)]$




FFzfw

$[(6, 2/33 \cdot \sqrt{33} \cdot \pi, [6], 1, 33)]$




FFzvO

$[(0, 2 \cdot \pi, [0, 1, 2], 2, 1), (3, 2 \cdot \pi, [3, 4, 5, 6], 3, 1)]$




FQhV_

$[(0, 2 \cdot \pi, [0, 1, 2, 3], 3, 1), (4, 2 \cdot \pi, [4, 5], 4, 1), (6, 2 \cdot \pi, [6], 2, 1)]$




FQhVw

$[(6, 1/7 \cdot \sqrt{7} \cdot \pi, [6], 1, 7)]$




FQyvO

$[(3, 1/7 \cdot \sqrt{7} \cdot \pi, [3], 2, 7)]$




FQ~~w

$[(0, 2 \cdot \pi, [0, 1, 2, 3], 3, 1), (4, 2 \cdot \pi, [4, 5, 6], 2, 1)]$




FUxvw


$[(6, 2/33 \cdot \sqrt{33} \cdot \pi, [6], 1, 33)]$




$F] \sim vw$
 $[(6, 1/10 \cdot \sqrt{10} \cdot \pi, [6], 1, 10)]$




$F \sim \sim \sim w$
 $[(0, 2/7 \cdot \pi, [0, 1, 2, 3, 4, 5, 6], 1, 1)]$



$G ??? F \{$
 $[(0, 1/7 \cdot \sqrt{7} \cdot \pi, [0, 1, 2, 3, 4, 5, 6], 2, 7), (7, 1/7 \cdot \sqrt{7} \cdot \pi, [7], 1, 7)]$




$G ?? FeW$
 $[(0, 1/6 \cdot \sqrt{6} \cdot \pi, [0, 1], 2, 6)]$




$G??Fe[$

$[(0, 2\pi, [0, 1, 2, 1]), (2, 2\pi, [2, 3, 4, 5], 3, 1), (6, 2\pi, [6, 7], 2, 1)]$




$G??Fvg$

$[(0, 2/3\pi, [0, 1, 2, 3], 2, 1), (4, 2\pi, [4, 5], 4, 1), (6, \pi, [6, 7], 3, 1)]$




$G??F\sim w$

$[(0, 1/6\sqrt{3}\pi, [0, 1, 2, 3, 4, 5], 2, 3), (6, 1/6\sqrt{3}\pi, [6, 7], 2, 3)]$




$G??F\sim\{$


$[(0, 2\pi, [0, 1, 2, 3, 4, 5], 2, 1), (6, 2\pi, [6, 7], 2, 1)]$




G?B@dO
 [(4, 2*pi, [4], 4, 1), (7, 2*pi, [7], 3, 1)]




G?BfEo
 [(0, 1/4*sqrt(2)*pi, [0, 1], 2, 2), (2, sqrt(2)*pi, [2], 4, 2), (3, sqrt(2)*pi, [3, 4], 4, 2), (5, sqrt(2)*pi, [5, 6], 4, 2), (7, sqrt(2)*pi, [7], 3, 2)]



G?BfM{
 [(0, pi, [0, 1], 2, 1), (2, 2*pi, [2], 3, 1), (3, 2*pi, [3, 4], 3, 1), (5, 2*pi, [5, 6], 3, 1), (7, 2/3*pi, [7], 2, 1)]




G?BvUo
 [(0, 1/10*sqrt(10)*pi, [0, 1], 2, 10)]




$G?B \sim v_0$

$[(0, 1/15\sqrt{15})\pi, [0, 1, 2, 3, 4], 2, 15), (5, 1/15\sqrt{15})\pi, [5, 6, 7], 2, 15)]$




$G?B \sim \sim \{$

$[(0, 2\pi, [0, 1, 2, 3, 4], 2, 1), (5, \pi, [5, 6, 7], 2, 1)]$




$G?^*afW$

$[(2, 2\pi, [2], 4, 1)]$




$G?aK^{\wedge}\{$


$[(7, 1/10\sqrt{10})\pi, [7], 2, 10)]$




G?ovf_
 [(6, $\frac{1}{10}\sqrt{10}\pi$, [6, 7], 2, 10)]




G?o|Y{
 [(0, 2π , [0, 1, 2, 3], 4, 1), (4, 2π , [4, 5, 6, 7], 3, 1)]



G?zTb_
 [(0, π , [0, 1, 2, 3, 4, 5, 6, 7], 3, 1)]




G?zfEw
 [(7, $\frac{1}{4}\sqrt{2}\pi$, [7], 2, 2)]




$G?zm\}\{$

$[(0, 2\pi, [0, 1], 2, 1), (2, 2\pi, [2, 3], 3, 1), (4, 2\pi, [4, 5, 6, 7], 3, 1)]$




$G?\sim vf_$

$[(0, 1/2\pi, [0, 1, 2, 3, 4, 5, 6, 7], 2, 1)]$




$GCOetg$

$[(0, 2\pi, [0, 3], 3, 1), (1, 2\pi, [1, 2, 4, 5], 4, 1), (6, 2\pi, [6, 7], 3, 1)]$




$GCOfBc$

$[(0, 2\pi, [0, 3], 3, 1), (1, 2\pi, [1, 2], 3, 1), (4, 2\pi, [4, 5], 4, 1), (6, 2\pi, [6, 7], 2, 1)]$




GCOF?

$[(6, 1/7\sqrt{7}\pi, [6, 7], 2, 7)]$




GCOfcw

$[(0, 2\pi, [0, 3], 3, 1), (1, 2\pi, [1, 2, 4, 5], 3, 1), (6, 2\pi, [6, 7], 2, 1)]$




GCOfu{

$[(0, 2\pi, [0, 1, 3, 4], 3, 1), (2, 2\pi, [2, 5], 3, 1), (6, \pi, [6, 7], 2, 1)]$




GCOf~w


$[(0, 2\pi, [0, 1, 2, 3, 4, 5], 3, 1), (6, 2\pi, [6, 7], 2, 1)]$




GCdbF{
 $[(7, 1/4\sqrt{2}\pi, [7], 1, 2)]$




GCNS-g
 $[(0, 2\pi, [0, 3], 3, 1), (1, 2\pi, [1], 3, 1), (2, 2\pi, [2], 4, 1), (4, 2\pi, [4], 4, 1), (5, 2\pi, [5], 3, 1), (6, 2\pi, [6], 4, 1), (7, 2\pi, [7], 3, 1)]$




GCp`f{
 $[(7, 1/4\sqrt{2}\pi, [7], 1, 2)]$




GCrQvW
 $[(7, 1/4\sqrt{2}\pi, [7], 2, 2)]$




GEhf~{
 $[(0, 2\pi, [0, 1, 2, 3, 4, 5], 3, 1), (6, 2\pi, [6, 7], 2, 1)]$




GFzvV{
 $[(7, 1/11\sqrt{11}\pi, [7], 1, 11)]$




GFzvW
 $[(0, 2\pi, [0, 1, 2], 2, 1)]$




GQhVes
 $[(0, 2\pi, [0], 3, 1), (1, 2\pi, [1, 3], 3, 1), (2, 2\pi, [2, 4], 4, 1), (5, 2\pi, [5], 4, 1), (6, \pi, [6, 7], 2, 1)]$




GQhV~{
 $[(0, 2\pi, [0, 1, 2, 3, 4, 5], 3, 1), (6, 2\pi, [6, 7], 2, 1)]$




GQzTrg
 $[(0, \pi, [0, 1, 2, 3, 4, 5, 6, 7], 3, 1)]$




GQ~vvg
 $[(0, \pi, [0, 1, 2, 3, 4, 5, 6, 7], 3, 1)]$



GUzrv{
 $[(7, 1/11\sqrt{11}\pi, [7], 1, 11)]$



$G \sim v \sim w$
 $[(0, \pi, [0, 1, 2, 3, 4, 5, 6, 7], 2, 1)]$



$G \sim \sim \sim \sim \{$
 $[(0, 1/4 \cdot \pi, [0, 1, 2, 3, 4, 5, 6, 7], 1, 1)]$