

References

- [1] F. ALIZADEH. Lecture notes on semidefinite programming. Technical report, Rutgers University, Piscataway, NJ, 2000. URL: <http://karush.rutgers.edu/~alizadeh/>.
- [2] F. ALIZADEH, J-P.A. HAEFFERLY, and M.L. OVERTON. A new primal-dual interior-point method for semidefinite programming. In J.G. Lewis, editor, *Proceedings of the Fifth SIAM Conference on Applied Linear Algebra*, pages 113–117. SIAM, 1994.
- [3] M.F. ANJOS and H. WOLKOWICZ. A strengthened SDP relaxation via a second lifting for the Max-Cut problem. *Discrete Appl. Math.*, 119:79–106, 2002.
- [4] K.M. ANSTREICHER and N.W. BRIXIUS. Solving quadratic assignment problems using convex quadratic programming

- relaxations. Technical report, University of Iowa, Iowa City, IA, 2000.
- [5] K.M. ANSTREICHER, X. CHEN, H. WOLKOWICZ, and Y. YUAN. Strong duality for a trust-region type relaxation of the quadratic assignment problem. *Linear Algebra Appl.*, 301(1-3):121–136, 1999.
- [6] K.M. ANSTREICHER and H. WOLKOWICZ. On Lagrangian relaxation of quadratic matrix constraints. *SIAM J. Matrix Anal. Appl.*, 22(1):41–55, 2000.
- [7] R. BELLMAN. *Introduction to Matrix Analysis*. McGraw Hill, New York, 1957.
- [8] R. BELLMAN and K. FAN. On systems of linear inequalities in Hermitian matrix variables. In *Proceedings of Symposia in Pure Mathematics, Vol 7, AMS, 1963*.
- [9] A. BEN-TAL and A.S. NEMIROVSKI. *Convex Optimization*

- in Engineering: Modeling, Analysis, Algorithms. Technical Report on notes from course given by A. Nemirovski, Delft University of Technology, Delft, The Netherlands, 1998.
- [10] F. BOHNENBLUST. Joint positiveness of matrices. Technical report, UCLA, 1948. Manuscript.
- [11] J.M. BORWEIN and H. WOLKOWICZ. Characterization of optimality for the abstract convex program with finite-dimensional range. *J. Austral. Math. Soc. Ser. A*, 30(4):390–411, 1980/81.
- [12] S. BOYD, V. BALAKRISHNAN, E. FERON, and L. El GHAOUJ. Control system analysis and synthesis via linear matrix inequalities. *Proc. ACC*, pages 2147–2154, 1993.
- [13] S. BOYD and C. H. BARRATT. *Linear Controller Design. Limits of Performance*. Prentice-Hall, 1991.
- [14] J. CULLUM, W.E. DONATH, and P. WOLFFE. The

- minimization of certain nondifferentiable sums of eigenvalues of symmetric matrices. *Mathematical Programming Study*, 3:35–55, 1975.
- [15] E. de KLERK. *Aspects of Semidefinite Programming: Interior Point Algorithms and Selected Applications*. Applied Optimization Series. Kluwer Academic, Boston, MA, 2002.
- [16] J.E. DENNIS Jr. and R.B. SCHNABEL. *Numerical methods for unconstrained optimization and nonlinear equations*, volume 16 of *Classics in Applied Mathematics*. Society for Industrial and Applied Mathematics (SIAM), Philadelphia, PA, 1996. Corrected reprint of the 1983 original.
- [17] M.M. DEZA and M. LAURENT. *Geometry of cuts and metrics*. Springer-Verlag, Berlin, 1997.
- [18] L.C.W. DIXON, S.E. HERSOM, and Z.A. MAANY. Initial experience obtained solving the low thrust satellite trajectory

- optimisation problem. Technical Report T.R. 152, The Hatfield Polytechnic Numerical Optimization Centre, 1984.
- [19] H. DYM and I. GOHBERG. Extensions of band matrices with band inverses. *Linear Algebra Appl.*, 36:1–24, 1981.
- [20] S.M. FALLAT, C.R. JOHNSON, and R.L. SMITH. The general totally positive matrix completion problem with few unspecified entries. *Electron. J. Linear Algebra*, 7:1–20 (electronic), 2000.
- [21] A.V. FIACCO and G.P. MCCORMICK. *Nonlinear programming*. Society for Industrial and Applied Mathematics (SIAM), Philadelphia, PA, second (first 1968) edition, 1990. Sequential unconstrained minimization techniques.
- [22] A. FISCHER. A Newton-type method for positive-semidefinite linear complementarity problems. *J. Optim. Theory Appl.*, 86(3):585–608, 1995.

- [23] T. FUJIE and M. KOJIMA. Semidefinite programming relaxation for nonconvex quadratic programs. *J. Global Optim.*, 10(4):367–380, 1997.
- [24] D.M. GAY. Computing optimal locally constrained steps. *SIAM J. Sci. Statist. Comput.*, 2:186–197, 1981.
- [25] M.X. GOEMANS. Semidefinite programming in combinatorial optimization. *Math. Programming*, 79:143–162, 1997.
- [26] M.X. GOEMANS. Semidefinite programming and combinatorial optimization. *Documenta Mathematica*, Extra Volume ICM 1998:657–666, 1998. Invited talk at the International Congress of Mathematicians, Berlin, 1998.
- [27] M.X. GOEMANS and D.P. WILLIAMSON. Improved approximation algorithms for maximum cut and satisfiability problems using semidefinite programming. *J. Assoc. Comput. Mach.*, 42(6):1115–1145, 1995.

- [28] B. GRONE, C.R. JOHNSON, E. MARQUES de SA, and H. WOLKOWICZ. Positive definite completions of partial Hermitian matrices. *Linear Algebra Appl.*, 58:109–124, 1984.
- [29] Ming Gu. Primal-dual interior-point methods for semidefinite programming in finite precision. *SIAM J. Optim.*, 10(2):462–502 (electronic), 2000.
- [30] O. GÜLLER and I. TUNÇEL. Characterization of the barrier parameter of homogeneous convex cones. *Math. Programming*, 81:55–76, 1998.
- [31] R. HAUSER. Self-scaled barrier functions: Decomposition and classification. Technical Report DAMTP 1999/NA13, Department of Applied Mathematics and Theoretical Physics, University of Cambridge, Cambridge, England, 1998.
- [32] T.L. HAYDEN, J. WELLS, W-M. LIU, and P. TARAZAGA. The cone of distance matrices. *Linear Algebra Appl.*,

- 144:153–169, 1991.
- [33] C. HELMBERG, F. RENDL, R. J. VANDERBEI, and H. WOLKOWICZ. An interior-point method for semidefinite programming. *SIAM J. Optim.*, 6(2):342–361, 1996.
- [34] R.B. HOLMES. *Geometric Functional Analysis and its Applications*. Springer-Verlag, Berlin, 1975.
- [35] R.A. HORN and C.R. JOHNSON. *Matrix Analysis*. Cambridge University Press, Cambridge, 1990. Corrected reprint of the 1985 original.
- [36] R.A. HORN and C.R. JOHNSON. *Topics in matrix analysis*. Cambridge University Press, Cambridge, 1994. Corrected reprint of the 1991 original.
- [37] J. JAHN. *Mathematical Vector Optimization in Partially Ordered Linear Spaces*. Peter Lang, Frankfurt am Main, 1986.

- [38] G. JAMESON. *Ordered linear spaces*. Springer-Verlag, New York, 1970.
- [39] B. JANSEN, C. ROOS, and T. TERLAKKY. A family of polynomial affine scaling algorithms for positive semidefinite linear complementarity problems. *SIAM J. Optim.*, 7(1):126–140, 1997.
- [40] C.R. JOHNSON. Matrix completion problems: a survey. In *Matrix theory and applications (Phoenix, AZ, 1989)*, pages 171–198. Amer. Math. Soc., Providence, RI, 1990.
- [41] C.R. JOHNSON and R.L. SMITH. The symmetric inverse M -matrix completion problem. *Linear Algebra Appl.*, 290(1-3):193–212, 1999.
- [42] M. KOJIMA, M. SHIDA, and S. SHINDOH. Reduction of monotone linear complementarity problems over cones to linear programs over cones. Technical report, Dept. of Information

- Sciences, Tokyo Institute of Technology, Tokyo, Japan, 1995.
- [43] M. KOJIMA, S. SHINDOH, and S. HARA. Interior-point methods for the monotone semidefinite linear complementarity problem in symmetric matrices. *SIAM J. Optim.*, 7(1):86–125, 1997.
- [44] M. LAURENT. Cuts, matrix completions and graph rigidity. *Math. Programming*, 79:255–284, 1997.
- [45] M. LAURENT. The real positive semidefinite completion problem for series-parallel graphs. *Linear Algebra Appl.*, 252:347–366, 1997.
- [46] M. LAURENT. A connection between positive semidefinite and Euclidean distance matrix completion problems. *Linear Algebra Appl.*, 273:9–22, 1998.
- [47] M. LAURENT. A tour d’horizon on positive semidefinite and Euclidean distance matrix completion problems. In *Topics in*

- Semidefinite and Interior-Point Methods*, volume 18 of *The Fields Institute for Research in Mathematical Sciences, Communications Series*, pages 51–76, Providence, Rhode Island, 1998. American Mathematical Society.
- [48] M. LAURENT. Polynomial instances of the positive semidefinite and Euclidean distance matrix completion problems. *SIAM J. Matrix Anal. Appl.*, 22:874–894, 2000.
- [49] M. LAURENT and S. POLJAK. On a positive semidefinite relaxation of the cut polytope. *Linear Algebra Appl.*, 223/224:439–461, 1995.
- [50] A.S. LEWIS. *Take-home final exam, Course CO663 in Convex Analysis*. University of Waterloo, Ontario, Canada, 1994.
- [51] A.S. LEWIS. Derivatives of spectral functions. *Math. Oper. Res.*, 21(3):576–588, 1996.
- [52] L. LOVÁSZ. On the Shannon capacity of a graph. *IEEE*

- Transactions on Information Theory*, 25:1–7, 1979.
- [53] K. LÖWNER. Über monotone matrixfunktionen. *Math. Z.*, 38:177–216, 1934.
- [54] D.G. LUENBERGER. *Optimization by Vector Space Methods*. John Wiley, 1969.
- [55] Z.A. MAANY. A new algorithm for highly curved constrained optimization. Technical Report T.R. 161, The Hatfield Polytechnic Numerical Optimization Centre, 1985.
- [56] A.W. MARSHALL and I. OLKIN. *Inequalities: Theory of Majorization and its Applications*. Academic Press, 1979.
- [57] M. MESBAHI and G.P. PAPAVALASSILOPOULOS. On the rank minimization problem over a positive semidefinite linear matrix inequality. *IEEE Trans. Automat. Control*, 42(2):239–243, 1997.

- [58] R.D.C. MONTEIRO. Primal-dual path-following algorithms for semidefinite programming. *SIAM J. Optim.*, 7(3):663–678, 1997.
- [59] R.D.C. MONTEIRO and T. TSUCHIYA. Polynomiality of primal-dual algorithms for semidefinite linear complementarity problems based on the Kojima-Shindoh-Hara family of directions. *Math. Programming*, 84:39–53, 1999.
- [60] R.D.C. MONTEIRO and Y. ZHANG. A unified analysis for a class of long-step primal-dual path-following interior-point algorithms for semidefinite programming. *Math. Programming*, 81(3, Ser. A):281–299, 1998.
- [61] J.J. MORÉ and D.C. SORENSEN. Computing a trust region step. *SIAM J. Sci. Statist. Comput.*, 4:553–572, 1983.
- [62] Y.E. NESTEROV and A.S. NEMIROVSKI. A general approach to polynomial-time algorithms design for convex

- programming. Technical report, Centr. Econ. & Math. Inst., USSR Acad. Sci., Moscow, USSR, 1988.
- [63] Y.E. NESTEROV and A.S. NEMIROVSKI. Polynomial barrier methods in convex programming. *Èkonom. i Mat. Methody*, 24(6):1084–1091, 1988.
- [64] Y.E. NESTEROV and A.S. NEMIROVSKI. Self-concordant functions and polynomial-time methods in convex programming. Book-Preprint, Central Economic and Mathematical Institute, USSR Academy of Science, Moscow, USSR, 1989. Published in Nesterov and Nemirovsky [68].
- [65] Y.E. NESTEROV and A.S. NEMIROVSKI. *Optimization over positive semidefinite matrices: Mathematical background and user's manual*. USSR Acad. Sci. Centr. Econ. & Math. Inst., 32 Krasikova St., Moscow 117418 USSR, 1990.
- [66] Y.E. NESTEROV and A.S. NEMIROVSKI. Self-concordant

- functions and polynomial time methods in convex programming. Technical report, Centr. Econ. & Math. Inst., USSR Acad. Sci., Moscow, USSR, April 1990.
- [67] Y.E. NESTEROV and A.S. NEMIROVSKI. Conic formulation of a convex programming problem and duality. Technical report, Centr. Econ. & Math. Inst., USSR Academy of Sciences, Moscow USSR, 1991.
- [68] Y.E. NESTEROV and A.S. NEMIROVSKI. *Interior Point Polynomial Algorithms in Convex Programming*. SIAM Publications. SIAM, Philadelphia, USA, 1994.
- [69] Y.E. NESTEROV and M.J. TODD. Self-scaled barriers and interior-point methods for convex programming. *Math. Oper. Res.*, 22(1):1–42, 1997.
- [70] L.W. NEUSTADT. *Optimization*. Princeton University Press, Princeton, N. J., 1976. A Theory of Necessary Conditions,

With a chapter by H. T. Banks.

- [71] J.M. ORTEGA and W.C. RHEINBOLDT. *Iterative Solution of Nonlinear Equations in Several Variables*. Academic Press, New York, NY, 1970.
- [72] M.L. OVERTON. On minimizing the maximum eigenvalue of a symmetric matrix. *SIAM J. Matrix Anal. Appl.*, 9:256–268, 1988.
- [73] M.L. OVERTON. Large-scale optimization of eigenvalues. *SIAM J. Optim.*, 2:88–120, 1992.
- [74] G. PATAKI. On the rank of extreme matrices in semidefinite programs and the multiplicity of optimal eigenvalues. *Math. Oper. Res.*, 23(2):339–358, 1998.
- [75] G. PATAKI and L. TUNÇEL. On the generic properties of convex optimization problems in conic form. *Math. Programming*, to appear.

- [76] A.L. PERLESSINI. *Ordered Topological Vector Spaces*. Harper & Row Publishers, New York, 1967.
- [77] S. POLJAK, F. RENDL, and H. WOLKOWICZ. A recipe for semidefinite relaxation for $(0, 1)$ -quadratic programming. *J. Global Optim.*, 7(1):51–73, 1995.
- [78] F. RENDL. Semidefinite programming and combinatorial optimization. *Appl. Numer. Math.*, 29:255–281, 1999.
- [79] F. RENDL and H. WOLKOWICZ. A semidefinite framework for trust region subproblems with applications to large scale minimization. *Math. Programming*, 77(2, Ser. B):273–299, 1997.
- [80] J. RENEGAR. On the computational complexity and geometry of the first-order theory of the reals. III. Quantifier elimination. *J. Symbolic Comput.*, 13(3):329–352, 1992.
- [81] J. RENEGAR. Is it possible to know a problem instance is

- ill-posed? Some foundations for a general theory of condition numbers. *J. Complexity*, 10(1):1–56, 1994.
- [82] J. RENEGAR. Incorporating condition measures into the complexity theory of linear programming. *SIAM J. Optim.*, 5(3):506–524, 1995.
- [83] J. RENEGAR. Linear programming, complexity theory and elementary functional analysis. *Math. Programming*, 70(3, Ser. A):279–351, 1995.
- [84] J. RENEGAR. Condition numbers, the barrier method, and the conjugate-gradient method. *SIAM J. Optim.*, 6(4):879–912, 1996.
- [85] S. SCHAIBLE and W. T. ZIEMBA, editors. *Generalized Concavity in Optimization and Economics*, New York, 1981. Academic Press Inc. [Harcourt Brace Jovanovich Publishers].
- [86] N. Z. SHOR. Quadratic optimization problems. *Izv. Akad.*

- Nauk SSSR Tekhn. Kibernet.*, 222(1):128–139, 222, 1987.
- [87] R. STERN and H. WOLKOWICZ. Trust region problems and nonsymmetric eigenvalue perturbations. *SIAM J. Matrix Anal. Appl.*, 15(3):755–778, 1994.
- [88] R. STERN and H. WOLKOWICZ. Indefinite trust region subproblems and nonsymmetric eigenvalue perturbations. *SIAM J. Optim.*, 5(2):286–313, 1995.
- [89] M.J. TODD. Semidefinite programming. Technical report, School of OR and IE, Cornell University, Ithaca, NY, 2000.
- [90] L. TUNÇEL and S. XU. On homogeneous convex cones, Caratheodory number, and duality mapping semidefinite liftings. Technical Report CORR 99-21, Department of Combinatorics and Optimization, Waterloo, Ont, 1999.
- [91] L. VANDENBERGHE and S. BOYD. Positive definite programming. In *Mathematical Programming: State of the*

- Art*, 1994, pages 276–308. The University of Michigan, 1994.
- [92] L. VANDENBERGHE and S. BOYD. Semidefinite programming. *SIAM Rev.*, 38(1):49–95, 1996.
- [93] H. WOLKOWICZ. Some applications of optimization in matrix theory. *Linear Algebra Appl.*, 40:101–118, 1981.
- [94] H. WOLKOWICZ, R. SAIGAL, and L. VANDENBERGHE, editors. *HANDBOOK OF SEMIDEFINITE PROGRAMMING: Theory, Algorithms, and Applications*. Kluwer Academic Publishers, Boston, MA, 2000. xxvi+654 pages.
- [95] S. WRIGHT. *Primal-Dual Interior-Point Methods*. Society for Industrial and Applied Mathematics (SIAM), Philadelphia, Pa, 1996.
- [96] Y. YE. *Interior Point Algorithms: Theory and Analysis*. Wiley-Interscience series in Discrete Mathematics and

- Optimization. John Wiley & Sons, New York, 1997.
- [97] Y. Yuan. On a subproblem of trust region algorithms for constrained optimization. *Math. Programming*, 47(1 (Ser. A)):53–63, 1990.
- [98] Y. YUAN. A dual algorithm for minimizing a quadratic function with two quadratic constraints. *Journal of Computational Mathematics*, 9:348–359, 1991.
- [99] Q. ZHAO, S.E. KARISCH, F. RENDL, and H. WOLKOWICZ. Semidefinite programming relaxations for the quadratic assignment problem. *J. Comb. Optim.*, 2(1):71–109, 1998. Semidefinite programming and interior-point approaches for combinatorial optimization problems (Toronto, ON, 1996).