

A network diagram with various colored nodes (blue, green, red, orange, purple) and connecting lines, some solid and some dashed. Several nodes contain stylized human icons representing different people.

# Data Science and Predictive Analytics Academic - Industry Partnering Forum

April 27, 2018

## Data Analysis and Visualization

Wayne Oldford

Statistics & Actuarial Science


UNIVERSITY OF  
**WATERLOO**



# Research interests

- Data analysis and predictive analytics
  - man - machine tradeoff:
    - from enabled to automated analytics

AUTOMATED: Computational photography — illuminant estimation



accurate (competitive with deep neural nets)

compact and efficient (can be implemented on board the camera)


meaningful (models well understood colour features and human colour discrimination)

# Research interests

- Data analysis and predictive analytics
  - man - machine tradeoff:
    - from enabled to automated analytics

## ENABLING THE ANALYST: Browser-based dashboard for Hillary Clinton's emails

[rshiny.math.uwaterloo.ca/clinton](http://rshiny.math.uwaterloo.ca/clinton)




# Research interests

- Guided analytics and visualization


Search for interesting patterns:

- pre-compute, sort, and search geometric and statistical measures
- present meaningful displays to show unanticipated pattern

S&P 500 daily returns 2007-2009



10 most and least dependent pairs of stocks



Banks: three years of daily returns

# Research interests

- Guided analytics and visualization

Data reduction:

- numbers of observations, numbers of variates/attributes
- preserve patterns (e.g. distribution and geometry)

560 dimensions -> 5



# Research interests

- Guided analytics and visualization

Data reduction:

- numbers of observations, numbers of variates/attributes
- preserve patterns (e.g. distribution and geometry)

560 dimensions  $\rightarrow$  5




# Research interests

- Guided analytics and visualization

Data reduction:

- numbers of observations, numbers of variates/attributes
- preserve patterns (e.g. distribution and geometry)




about 28,000 points -> 5,000 points

# Research interests

- Guided analytics and visualization

Data reduction:

- numbers of observations, numbers of variates/attributes
- preserve patterns (e.g. distribution and geometry)



about 28,000 points -> 5,000 points

random sampling

our method





# Research interests

- Data analysis and predictive analytics

  - man - machine tradeoff:

  - from enabled to automated analytics

- Guided analytics and visualization

  - Search for interesting patterns:

    - pre-compute, sort, and search geometric and statistical measures
    - present meaningful displays to show unanticipated pattern

  - Data reduction:

    - numbers of observations, numbers of variates/attributes
    - preserve patterns (e.g. distribution and geometry)

- Power tools for interactive data analysis

  - Software tools:

    - LOON: interactive data visualization in R
    - ZENPLOTS: automated layout of hundreds of plots
    - numerous other R packages and statistical analysis software