Math Circles - Problem Set 1 Introduction to Linear Diophantine Equations

Zack Cramer - zcramer@uwaterloo.ca

February 28, 2018

- 1. Use the Euclidean algorithm to compute the following GCDs:
 - (a) gcd(204, 99)
 - (b) gcd(1053, 993)
 - (c) gcd(7404, 7032)
- 2. Find a solution for each of the following LDEs, or explain why one does not exist.
 - (a) 204x + 99y = 3
 - (b) 1053x + 993y = 7
 - (c) 7404x + 7032y = 36
- **3.** Can 10 000 be expressed as a sum of two integers, one of which is divisible by 126 and the other divisible by 81? If so, find examples of such integers. If not, explain why.
- 4. Can 10 000 be expressed as a sum of two integers, one of which is divisible by 614 and the other divisible by 72? If so, find examples of such integers. If not, explain why.
- **5.** Find an integer n, which, when divided by 78 leaves a remainder of 37; and when divided by 29 leaves a remainder of 17.
- **6.** (a) Use the Euclidean algorithm to find a solution to 25x + 10y = 215, the LDE from example (III).
 - (b) Does your answer in part (a) make sense in the context of the problem? If not, how can we find a solution that does make sense?

Challenge Problems

- 7. (a) Use the division algorithm to show that gcd(k+1,k)=1 for any integer k.
 - (b) Use the division algorithm twice (i.e., the Euclidean algorithm) to show that

$$\gcd(7k + 6, 6k + 1) = 1$$

for any integer $k \geq 1$.

- **8.** (a) Let a and b be integers. For which integers c does ax + by = c have a solution?
 - (b) Let a, b, and c be integers. For which integers d does ax + by + cz = d have a solution?
 - (c) Find a solution to the 3-variable LDE 18x + 14y + 63z = 5.